

GRIZZLY / DOUBLE WIRE SCREENS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

GRIZZLY SCREEN OPEN AREA

OPENING	WIRE DIAMETER	LBS PER SQ FT	OPEN AREA %
1 1/2"	2 X .250"	4.8	75
2"	2 X .375"	7.9	73
3"	2 X .437"	7.5	73
3"	2 X .500"	9.6	75

1" TO 1 3/4" OPENINGS (FLAT SCREENS)

PRODUCT #	DESCRIPTION	SCREEN WEIGHT
DW1.0X250X62X96	1" OPEN .250" WIRE 62" X 96"	285 LBS
DW1.25X312X60X72	1 1/4" OPEN .312" WIRE 60" X 72"	285 LBS
DW1.375X250X62X84	1 3/8" OPEN .250" WIRE 62" X 84"	196 LBS
DW1.375X250X62X96	1 3/8" OPEN .250" WIRE 62" X 96"	224 LBS
DW1.375X250X72X75	1 3/8" OPEN .250" WIRE 72" X 75"	203 LBS
DW1.375X250X73X98	1 3/8" OPEN .250" WIRE 73" X 98"	269 LBS
DW1.375X250X77X98	1 3/8" OPEN .250" WIRE 77" X 98"	283 LBS
DW1.5X250X50X96	1 1/2" OPEN .250" WIRE 50" X 96"	176 LBS
DW1.5X250X60X72	1 1/2" OPEN .250" WIRE 60" X 72"	155 LBS
DW1.5X250X62X84	1 1/2" OPEN .250" WIRE 62" X 84"	181 LBS
DW1.5X250X62X96	1 1/2" OPEN .250" WIRE 62" X 96"	207
DW1.5X250X73X98	1 1/2" OPEN .250" WIRE 73" X 98"	244
DW1.5X250X77X98	1 1/2" OPEN .250" WIRE 77" X 98"	257
DW1.625X250X62X84	1 5/8" OPEN .250" WIRE 62" X 84"	181
DW1.625X250X62X98	1 5/8" OPEN .250" WIRE 62" X 98"	195
DW1.625X250X73X98	1 5/8" OPEN .250" WIRE 73" X 98"	244
DW1.625X250X77X98	1 5/8" OPEN .250" WIRE 77" X 98"	247 LBS
DW1.75X375X60X72	1 3/4" OPEN .375" WIRE 60" X 72"	/

1" TO 1 3/4" OPENINGS (PRE-HOOKED SCREENS)

PRODUCT #	DESCRIPTION	SCREEN WEIGHT
DW1.5X250X58.5OHX60	1 1/2" OPEN .250" WIRE 58 1/2" OH X 60"	/
DW1.75X375X58.5OHX72	1 3/4" OPEN .375" WIRE 58 1/2" OH X 60"	/

2" TO 2 1/2" OPENINGS (FLAT SCREENS)

PRODUCT #	DESCRIPTION	SCREEN WEIGHT
DW2.0X375X60X72	2" OPEN .375" WIRE 60" X 72"	249 LBS
DW2.0X375X62X84	2" OPEN .375" WIRE 62" X 84"	271 LBS
DW2.0X375X62X98	2" OPEN .375" WIRE 62" X 98"	310 LBS
DW2.0X375X73X98	2" OPEN .375" WIRE 73" X 98"	365 LBS
DW2.0X375X77X72	2" OPEN .375" WIRE 77" X 72"	319 LBS
DW2.0X375X77X98	2" OPEN .375" WIRE 77" X 98"	385 LBS
DW2.5X437X60X72	2 1/2" OPEN .437" WIRE 60" X 72"	273 LBS
DW2.5X437X73X98	2 1/2" OPEN .437" WIRE 73" X 98"	450 LBS
DW2.5X437X77X98	2 1/2" OPEN .437" WIRE 77" X 98"	472 LBS

2" TO 2 1/2" OPENINGS (PRE-HOOKED SCREENS)

PRODUCT #	DESCRIPTION	SCREEN WEIGHT
DW2.0X375X58.5OHX72	2" OPEN .375" WIRE 58 1/2" OH X 72"	/
DW2.0X375X70.5OHX72	2" OPEN .375" WIRE 70 1/2" OH X 72"	/
DW2.25X375X70.5OHX60	2 1/4" OPEN .375" WIRE 70 1/2" OH X 60"	/
DW2.5X437X58.5OHX72	2 1/2" OPEN .437" WIRE 58 1/2" OH X 72"	/
DW2.5X437X70.5OHX48	2 1/2" OPEN .437" WIRE 70 1/2" OH X 48"	/

3" OPENINGS (FLAT SCREENS)

PRODUCT #	DESCRIPTION	SCREEN WEIGHT
DW3.0X437X50X96	3" OPEN .437" WIRE 50" X 96"	265 LBS
DW3.0X437X77X98	3" OPEN .437" WIRE 77" X 98"	409 LBS
DW3.0X500X50X96	3" OPEN .500" WIRE 50" X 96"	329 LBS
DW3.0X500X60X72	3" OPEN .500" WIRE 60" X 72"	301 LBS
DW3.0X500X62X84	3" OPEN .500" WIRE 62" X 84"	358 LBS
DW3.0X500X62X98	3" OPEN .500" WIRE 62" X 98"	418 LBS
DW3.0X500X73X98	3" OPEN .500" WIRE 73" X 98"	492 LBS

TENSION RAILS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

TENSION RAILS

PRODUCT #	DESCRIPTION	WEIGHT
A-TR.250X4	¼"THICK 48"LONG ABRASION RESISTANT	20 LBS
A-TR.250X5	¼"THICK 60"LONG ABRASION RESISTANT	25 LBS
A-TR.250X6	¼"THICK 72"LONG ABRASION RESISTANT	30 LBS
A-TR.250X7	¼"THICK 84"LONG ABRASION RESISTANT	35 LBS
A-TRLJX7	¼"THICK 84"LONG 'LJ' RAILS	35 LBS
A-TR.250X8	¼"THICK 96"LONG ABRASION RESISTANT	40 LBS
A-TR.312X4	5/16"THICK 48"LONG ABRASION RESISTANT	28 LBS
A-TR.312-6	5/16"THICK 72"LONG ABRASION RESISTANT	37 LBS

NUTS & BOLTS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

J-BOLTS (MAX LENGTH 8.5") SUPPLIED WITH WASHER & NUT

PRODUCT #	DESCRIPTION
A-J RODS-1/2"	1/2" DIAMETER 2 1/2" THREAD
A-J RODS-5/8"	5/8" DIAMETER 2 1/2" THREAD

BOLT SETS, SUPPLIED WITH WASHER AND NUT

PRODUCT #	DESCRIPTION
A-BOLT-5/8X5G5	GRADE 5 5/8"X5" FULLY THREADED
A-BOLT-3/4X5G5	GRADE 5 3/4"X5" FULLY THREADED
A-BOLT-5/8X5G8	GRADE 8 5/8"X5" FULLY THREADED
A-BOLT-3/4X5G8	GRADE 8 3/4"X5" FULLY THREADED

COUPLING NUTS

PRODUCT #	DESCRIPTION
A-COUPLINGNUTS5/8	5/8" COUPLING NUT
A-COUPLINGNUTS3/4	3/4" COUPLING NUT

CROWN BAR RUBBER

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

TENSION RAILS

PRODUCT #	DESCRIPTION	WEIGHT
A-CBR.250	1/4" THICK	0.23
A-CBR.375	3/8" THICK	0.39
A-CBR.500	1/2" THICK	0.41
A-CBR.375-P/S	3/8" THICK FOR POWER SCREENS	2.5

WOVEN WIRE MESH SPECIFICATIONS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

BASIC STEEL WOVEN MESH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
M.5000135BB48	½" OPEN .135" WIRE 48" WIDTH	7.52
M1.00M135BB48	1" OPEN .135" WIRE 48" WIDTH	4.72
M1.00M135BB72	1" OPEN .135" WIRE 72" WIDTH	7.2

BASIC STEEL WOVEN MESH (SHEETS)

PRODUCT #	DESCRIPTION	WEIGHT
M.5000250BB4X8	½" OPEN .250" WIRE 48"x96"	104
M2.00M250BB4X8	2" OPEN .250" WIRE 48"x96"	65
M2.00M250BB5X10	2" OPEN .250" WIRE 60"x120"	102
M2.00M312BB4X8	2" OPEN .312" WIRE 48"x96"	96
M2.00O375BB4X8	2" OPEN .375" WIRE 48"x96"	123

.304 STAINLESS STEEL WOVEN MESH

PRODUCT #	DESCRIPTION	WEIGHT
M.5000.063SA48	½" OPEN .063" WIRE 48" WIDTH	0.65
M.5000135SA48	½" OPEN .135" WIRE 48" WIDTH	7.52
M.7500.063SA36	¾" OPEN .063" WIRE 36" WIDTH	1
M1.00M135SA48	1" OPEN .135" WIRE 48" WIDTH	4.72

GALVANIZED WOVEN MESH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
M1.00M135GB51	1" OPEN .135" WIRE 51" WIDTH	5
M1.00M135GB63	1" OPEN .135" WIRE 63" WIDTH	6.2
M1.00M135GB73	1" OPEN .135" WIRE 73" WIDTH	7.18

WELDED WIRE MESH SPECIFICATIONS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

HARDWARE CLOTH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
HU2M041GA36	½" OPEN .041" WIRE 36" WIDTH	0.65 LBS
HU2M041GA48	½" OPEN .041" WIRE 36" WIDTH	0.87 LBS
HU4M025GA36	¾" OPEN .025" WIRE 36" WIDTH	0.49 LBS
HU4M025GA48	¾" OPEN .025" WIRE 48" WIDTH	0.65 LBS
HU8M017GA36	1/8" OPEN .017" WIRE 36" WIDTH	0.45 LBS
HU8M017GA48	1/8" OPEN .017" WIRE 48" WIDTH	0.60 LBS
HU8M025GA48	1/8" OPEN .025" WIRE 48" WIDTH	1.32 LBS
HU8M028GA48	1/8" OPEN .028" WIRE 48" WIDTH	1.65 LBS

BASIC STEEL WELD MESH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
W2.0M10BB48	2" OPEN 10GA 48" WIDTH	2.4 LBS
W2.0M10BB60	2" OPEN 10GA 48" WIDTH	3 LBS

BASIC STEEL WELD MESH (SHEETS)

PRODUCT #	DESCRIPTION	WEIGHT
W1.0M11BB4X8	1" OPEN 11GA 48"x96"	30 LBS
W2.0M10BB4X8	2" OPEN 10GA 48"x96"	18 LBS
W2.0M6BB4X8	2" OPEN 6GA 48"x96"	38 LBS
W2.0M3BB4X8	2" OPEN 3GA 48"x96"	64 LBS

GALVANIZED AFTER WELD MESH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
W.5M16GA48	½" OPEN 16GA 48" WIDTH	2 LBS
W.5MX1.0M16GA48	RABBIT MESH ½"X1" OPEN 16GA 48" WIDTH	1.5 LBS
W.75M17GA48	¾" OPEN 17GA 48" WIDTH	1 LBS
W1.0M16GA36	1" OPEN 16GA 36" WIDTH	0.77 LBS
W1.0M16GA48	1" OPEN 16GA 48" WIDTH	1.03 LBS
W1.0M14GA36	1" OPEN 14GA 36" WIDTH	1.24 LBS
W1.0m14GA48	1" OPEN 14GA 48" WIDTH	1.64 LBS
W1.0M14GA60	1" OPEN 14GA 60" WIDTH	2.05 LBS

GALVANIZED BEFORE WELD MESH (ROLL STOCK)

PRODUCT #	DESCRIPTION	WEIGHT
W2.0M16GB48	2" OPEN 16GA 48" WIDTH	0.52 LBS
W2.0M12.5GB36	2" OPEN 12.5GA 36" WIDTH	0.95 LBS
W2.0M12.5GB48	2" OPEN 12.5GA 48" WIDTH	1.27 LBS
W2.0M10GB48	2" OPEN 10GA 48" WIDTH	2.38 LBS

GALVANIZED WELD MESH (SHEETS)

PRODUCT #	DESCRIPTION	WEIGHT
W1.0M11GA4X8	1" OPEN 11GA 48"x96"	30 LBS
W2.0M10GB4X8	2" OPEN 10GA 48"x96"	2.4 LBS

FINE MESH

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

BASIC STEEL FINE MESH

PRODUCT #	DESCRIPTION	WEIGHT
#002M063BB60	#2MESH .438"OPEN .063"WIRE 60"WIDTH	2.56 LBS
#003M080BB48	#3MESH .250"OPEN .080"WIRE 48"WIDTH	5.04 LBS
#004M063BB48	#4MESH .225"OPEN .063"WIRE 48"WIDTH	4.2 LBS

GALVANIZED FINE MESH

PRODUCT #	DESCRIPTION	WEIGHT
#006M047GB36	#6MESH .146"OPEN .047"WIRE 36"WIDTH	2.9 LBS
#014M018GB36	#14MESH .053"OPEN .018"WIRE 36"WIDTH	0.9 LBS

.316 STAINLESS STEEL FINE MESH

PRODUCT #	DESCRIPTION	WEIGHT
#016M023SB60	#16MESH .0395"OPEN .023"WIRE 60"WIDTH	1.4 LBS
#020M016SB48	#20MESH .034"OPEN .016"WIRE 48"WIDTH	1.4 LBS
#020M016SB60	#20MESH .034"OPEN .016"WIRE 60"WIDTH	1.7 LBS
#030M012SB36	#30MESH .0205"OPEN .012"WIRE 36"WIDTH	1.5 LBS
#030M012SB60	#30MESH .0205"OPEN .012"WIRE 60"WIDTH	1.6 LBS
#040M010SB80	#40MESH .0146"OPEN .010"WIRE 80"WIDTH	1.6 LBS
#046M0045SB60	#46MESH .0045"WIRE 60"WIDTH	1.4 LBS
#050M009SB60	#50MESH .0110"OPEN .009"WIRE 60"WIDTH	1.4 LBS
#074M0037SB48	#74MESH .0037"WIRE 48"WIDTH	0.9 LBS
#074M0037SB60	#74MESH .0037"WIRE 60"WIDTH	1.1 LBS
#080M0055SB60	#80MESH .0070"OPEN .0055"WIRE 60"WIDTH	0.8 LBS
#100M0045SB48	#100MESH .0056"OPEN .0045"WIRE 48"WIDTH	0.6 LBS
#120M0037SB48	#100MESH .0065"OPEN .0037"WIRE 48"WIDTH	0.5 LBS
#120M0037SB48	#100MESH .0065"OPEN .0037"WIRE 48"WIDTH	0.5 LBS
#150M0026SB48	#150MESH .0037"OPEN .0026"WIRE 48"WIDTH	0.3 LBS
#180M0023SB48	#180MESH .0031"OPEN .0023"WIRE 48"WIDTH	0.2 LBS
#180M0023SB60	#180MESH .0031"OPEN .0023"WIRE 60"WIDTH	0.3 LBS
#200M0021SB60	#200MESH .0027"OPEN .0021"WIRE 60"WIDTH	0.4 LBS
#230M0014SB48	#230MESH .0025"OPEN .0014"WIRE 48"WIDTH	0.3 LBS
#250M0016SB48	#250MESH .0024"OPEN .0016"WIRE 48"WIDTH	0.2 LBS
#270M0016SB60	#270MESH .0021"OPEN .0016"WIRE 60"WIDTH	0.3 LBS
#325M0014SB48	#325MESH .0018"OPEN .0014"WIRE 48"WIDTH	0.2 LBS
#400M0011SB48	#400MESH .0015"OPEN .0011"WIRE 48"WIDTH	0.2 LBS

.304 STAINLESS STEEL FINE MESH

PRODUCT #	DESCRIPTION	WEIGHT
#002M063SA48	#2MESH .438"OPEN .063"WIRE 48"WIDTH	2 LBS
#003M063SA48	#3MESH .271"OPEN .063"WIRE 48"WIDTH	3.2 LBS
#003M080SA36	#3MESH .253"OPEN .080"WIRE 36"WIDTH	4 LBS
#003M080SA48	#3MESH .253"OPEN .080"WIRE 48"WIDTH	5 LBS
#004M063SA48	#4MESH .188"OPEN .063"WIRE 48"WIDTH	4.2 LBS
#004M063SA60	#4MESH .188"OPEN .063"WIRE 60"WIDTH	4.2 LBS
#004M063SA72	#4MESH .188"OPEN .063"WIRE 72"WIDTH	4.2 LBS
#005M041SA48	#5MESH .159"OPEN .041"WIRE 48"WIDTH	2.2 LBS

#005M041SA60	#5MESH .159"OPEN .041"WIRE 60"WIDTH	2.8 LBS
#006M035SA36	#6MESH .132"OPEN .035"WIRE 36"WIDTH	1.9 LBS
#006M035SA48	#6MESH .132"OPEN .035"WIRE 48"WIDTH	1.9 LBS
#006M035SA60	#6MESH .132"OPEN .035"WIRE 60"WIDTH	2.4 LBS
#006M047SA36	#6MESH .119"OPEN .047"WIRE 36"WIDTH	2.9 LBS
#006M047SA48	#6MESH .119"OPEN .047"WIRE 48"WIDTH	3.2 LBS
#006M041SA36	#6MESH .126"OPEN .041"WIRE 36"WIDTH	2.1 LBS
#006M041SA48	#6MESH .126"OPEN .041"WIRE 48"WIDTH	2.7 LBS
#006M063SA48	#6MESH .104"OPEN .063"WIRE 48"WIDTH	6.5 LBS
#008M028SA48	#8MESH .096"OPEN .028"WIRE 48"WIDTH	1.6 LBS
#008M028SA60	#8MESH .096"OPEN .028"WIRE 60"WIDTH	2 LBS
#008M032SA48	#8MESH .093"OPEN .032"WIRE 48"WIDTH	2 LBS
#008M032SA60	#8MESH .093"OPEN .032"WIRE 60"WIDTH	2.8 LBS
#009M032SA48	#9MESH .079"OPEN .032"WIRE 48"WIDTH	2.8 LBS
#010M025SA48	#10MESH .074"OPEN .025"WIRE 48"WIDTH	1.6 LBS
#010M025SA60	#10MESH .074"OPEN .025"WIRE 60"WIDTH	2 LBS
#010M032SA60	#10MESH .068"OPEN .032"WIRE 60"WIDTH	3.5 LBS
#012M017SA60	#12MESH .066"OPEN .017"WIRE 60"WIDTH	1.4 LBS
#012M023SA48	#12MESH .052"OPEN .032"WIRE 48"WIDTH	1.7 LBS
#012M023SA60	#12MESH .052"OPEN .032"WIRE 60"WDITH	2.1 LBS
#014M020SA48	#14MESH .051"OPEN .020"WIRE 48"WIDTH	1.5 LBS
#014M020SA60	#14MESH .051"OPEN .020"WIRE 60"WIDTH	1.9 LBS
#016M018SA48	#16MESH .0444"OPEN .018"WIRE 48"WIDTH	1.1 LBS
#016M018SA60	#16MESH .0444"OPEN .018"WIRE 60"WIDTH	1.4 LBS
#016M023SA48	#16MESH .0395"OPEN .023"WIRE 48"WIDTH	1.4 LBS
#016M023SA60	#16MESH .0395"OPEN .023"WIRE 60"WIDTH	1.4 LBS
#018M017SA48	#18MESH .0383"OPEN .017"WIRE 48"WIDTH	1.6 LBS
#020M009SA60	#20MESH .0410"OPEN .009"WIRE 60"WIDTH	1.4 LBS
#020M016SA48	#20MESH .034"OPEN .016"WIRE 48"WIDTH	1.4 LBS
#024M0075SA60	#24MESH .0342"OPEN .0075"WIRE 60"WIDTH	0.44 LBS
#028M010SA48	#28MESH .0253"OPEN .010"WIRE 48"WIDTH	0.9 LBS
#028M010SA60	#28MESH .0253"OPEN .010"WIRE 60"WIDTH	1 LBS
#030M012SA48	#30MESH .0205"OPEN .012"WIRE 48"WIDTH	1.3 LBS
#030M012SA60	#30MESH .0205"OPEN .012"WIRE 60"WIDTH	1.6 LBS
#032m0065SA48	#32MESH .0243"OPEN .0065"WIRE 48"WIDTH	0.5 LBS
#032M0065SA51	#32MESH .0243"OPEN .0065"WIRE 51"WIDTH	0.7 LBS
#032M0065SA60	#32MESH .0243"OPEN .0065"WIRE 60"WIDTH	0.9 LBS
#036X040M010SA51	#32X#40 MESH .010"WIRE 51"WIDTH	1.1 LBS
#040M010SA48	#40MESH .0146"OPEN .010"WIRE 48"WIDTH	1.1 LBS
#040M010SA60	#40MESH .0146"OPEN .010"WIRE 60"WIDTH	1.4 LBS
#040M010SA72	#40MESH .0146"OPEN .010"WIRE 72"WIDTH	1.5 LBS
#048M0055SA44	#40MESH .0180"OPEN .0055"WIRE 44"WIDTH	0.4 LBS
#050M009SA48	#50MESH .0110"OPEN .009"WIRE 48"WIDTH	1.1 LBS
#050M009SA51	#50MESH .0110"OPEN .009"WIRE 51"WIDTH	1.2 LBS
#050M009SA60	#50MESH .0110"OPEN .009"WIRE 60"WIDTH	1.4 LBS
#058M0045SA48	#58MESH .0045"WIRE 48"WIDTH	0.3 LBS
#060M0075SA48	#60MESH .0092"OPEN .0075"WIRE 48"WIDTH	1 LBS
#060X20M009SA51	#60X#20 MESH .0077"OPEN .009"WIRE 51"WIDTH	0.9 LBS
#060X40M009SA48	#60X#20 MESH .0077"OPEN .009"WIRE 48"WIDTH	1.2 LBS
#060X40M009SA51	#60X#20 MESH .0077"OPEN .009"WIRE 51"WIDTH	1.3 LBS
#070M0037SA48	#70MESH .0037"WIRE 48"WIDTH	0.3 LBS
#080M0055SA48	#80MESH .0070"OPEN .0055"WIRE 48"WIDTH	0.7 LBS
#080M0055SA60	#80MESH .0070"OPEN .0055"WIRE 60"WIDTH	0.8 LBS
#100M0045SA48	#100MESH .0056"OPEN .0045"WIRE 48"WIDTH	0.6 LBS
#100M0045SA60	#100MESH .0056"OPEN .0045"WIRE 60"WIDTH	0.8 LBS
#200M0021SA48	#200MESH .0027"OPEN .0021"WIRE 48"WIDTH	0.3 LBS
#250M0016SA60	#250MESH .0024"OPEN .0016"WIRE 60"WIDTH	0.3 LBS
#300M0015SA48	#300 MESH .0018"OPEN .0015"WIRE 48"WIDTH	0.2 LBS
#325M0014SA48	#300MESH .0017"OPEN .0014"WIRE 48"WIDTH	0.2 LBS

BASIC STEEL PERFORATED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

ROUND

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PCS.063X16GA	1/16"ROUND 1/8"SC 16GA 48"x120"	23%	29 LBS
PCS.063X22GA	1/16"ROUND 1/8"SC 22GA 48"x120"	23%	29 LBS
PCS.109X14GA	7/64"ROUND 5/32"SC 14GA 48"x120"	36%	69 LBS
PCS.125X11GA	1/8"ROUND 3/16"SC 11GA 48"x120"	40%	120 LBS
PCS.125X11GA	1/8"ROUND 3/16"SC 11GA 48"x120"	40%	120 LBS
PCS.125X12GA - 4X5	1/8"ROUND 3/16"SC 12GA 48"x60" HAMMERMILL	40%	51 LBS
PCS.125X14GA	1/8"ROUND 3/16"SC 14GA 48"x120"	40%	75 LBS
PCS.125X16GA	1/8"ROUND 3/16"SC 16GA 48"x120"	40%	60LBS
PCS.125X20GA	1/8"ROUND 3/16"SC 20GA 48"x120"	40%	36 LBS
PCS.141X12GA - 4X5	9/64"ROUND 7/32"SC 12GA 48"x60" HAMMERMILL	37%	55 LBS
PCS.141X14GA	9/64"ROUND 3/16"SC 14GA 48"x120"	37%	30 LBS
PCS.156X11GA	5/32"ROUND ¼"SC 11GA 48"x120"	36%	128 LBS
PCS.156X16GA	5/32"ROUND 3/16"SC 16GA 48"x120"	63%	37 LBS
PCS.156X16GA	5/32"ROUND 3/16"SC 16GA 48"x120"	63%	37 LBS
PCS.187X11GA	3/16"ROUND ¼"SC 11GA 48"x120"	51%	98 LBS
PCS.187X14GA	3/16"ROUND 3/8"SC 14GA 48"x120"	23%	96 LBS
PCS.187X16GA	3/16"ROUND ¼"SC 16GA 48"x120"	51%	49 LBS
PCS.187X20GA	3/16"ROUND ¼"SC 20GA 48"x120"	51%	29 LBS
PCS.219X11GA	7/32"ROUND 5/16"SC 11GA 48"x120"	45%	110 LBS
PCS.250X.250GA	¼"ROUND 3/8"SC 3GA 48"x120"	40%	245 LBS
PCS.250X11GA	¼"ROUND 3/8"SC 11GA 48"x120"	40%	12 LBS
PCS.250X14GA	¼"ROUND 3/8"SC 14GA 48"x120"	40%	75 LBS
PCS.250X16GA	¼"ROUND 3/8"SC 16GA 48"x120"	40%	60 LBS
PCS.250X20GA	¼"ROUND 3/8"SC 20GA 48"x120"	40%	36 LBS
PCS.375X250GA	3/8"ROUND ½"SC 3GA 48"x120"	51%	200 LBS
PCS.375X11GA	3/8"ROUND ½"SC 11GA 48"x120"	51%	98 LBS
PCS.375X16GA	3/8"ROUND ½"SC 16GA 48"x120"	51%	49 LBS
PCS.500X.250GA	½"ROUND 11/16"SC 3GA 48"x120"	48%	224 LBS
PCS.500X11GA	½"ROUND 11/16"SC 11GA 48"x120"	48%	104 LBS
PCS.500X16GA	½"ROUND 11/16"SC 16GA 48"x120"	48%	52 LBS
PCS1.25X.375GA	1 ¼"ROUND 3/8"THICK 9 ¾"x54 ¾"	/	/

SQUARE

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PCS.500X16GA-SQ	½"SQUARE 11/16"SC 16GA 48"x120"	/	47 LBS

GALVANIZED STEEL PERFORATED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

ROUND

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PGA.125X22GA 4X10	1/8"ROUND 7/32"SC 22GA 48"x120"	30%	38 LBS
PGA.125X22GA 5X10	1/8"ROUND 7/32"SC 22GA 60"x120"	35%	47 LBS

ALUMINUM PERFORATED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

ROUND

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PAL.092X20GA	3/32"ROUND 5/32"SC 20GA 48"x120"	33%	12 LBS
PAL.125X14GA	1/8"ROUND 3/16"SC 14GA 48"x120"	40%	22 LBS
PAL.125X20GA	1/8"ROUND 3/16"SC 20GA 48"x120"	40%	11 LBS
PAL.250X14GA	1/4"ROUND 3/8"SC 14GA 48"x120"	40%	22 LBS
PAL.250X8GA	1/4"ROUND 3/8"SC 8GA 48"x120"	40%	42 LBS
PAL.156X20GA	5/32"ROUND 3/16"SC 20GA 48"x120"	63%	7 LBS

STAINLESS STEEL PERFORATED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

0.316

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PSB.125X11GA	1/8"ROUND 3/16"SC 11GA 48"x120"	40%	124 LBS
PSB.125X14GA	1/8"ROUND 3/16"SC 14GA 48"x120"	40%	77 LBS
PSB.125X16GA	1/8"ROUND 3/16"SC 16GA 48"x120"	40%	62 LBS
PSB.250X14GA	1/4"ROUND 3/8"SC 14GA 48"x120"	40%	77 LBS

0.304

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PSA.063X18GA	1/16"ROUND 1/8"SC 18GA 48"x120"	23%	40 LBS
PSA.063X22GA	1/16"ROUND 1/8"SC 22GA 48"x120"	23%	40 LBS
PSA.125X14GA	1/8"ROUND 3/16"SC 14GA 48"x120"	40%	76 LBS
PSA.125X16GA	1/8"ROUND 3/16"SC 16GA 48"x120"	40%	62 LBS
PSA.125X20GA	1/8"ROUND 3/16"SC 20GA 48"x120"	40%	37 LBS
PSA.187X11GA	3/16"ROUND 1/4"SC 11GA 48"x120"	51%	101 LBS
PSA.187X16GA	3/16"ROUND 1/4"SC 16GA 48"x120"	51%	51 LBS
PSA.187X20GA	3/16"ROUND 1/4"SC 20GA 48"x120"	51%	30 LBS
PSA.250X11GA	1/4"ROUND 3/8"SC 11GA 48"x120"	40%	124 LBS
PSA.250X16GA	1/4"ROUND 3/8"SC 16GA 48"x120"	40%	62 LBS
PSA.250X20GA	1/4"ROUND 3/8"SC 20GA 48"x120"	40%	37 LBS
PSA.375X16GA	3/8"ROUND 1/2"SC 16GA 48"x120"	51%	51 LBS
PSA.375X20GA	3/8"ROUND 1/2"SC 20GA 48"x120"	51%	28 LBS
PSA.500X16GA	1/2"ROUND 11/16"SC 16GA 48"x120"	48%	54 LBS

DECORATIVE PERFORATED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

BASIC STEEL

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PCCHAINLINK	20GA 36"x120"	45%	25 LBS
PCSCANE41	20GA 36"x120"	41%	27 LBS
PCSLINECANE	20GA 36"x120"	45%	26 LBS
PCSEXAGON	22GA 48"x120"	/	14 LBS
PCSROYAL	22GA 48"x120"	45%	26 LBS
PCSUNIONJACK	22GA 48"x120"	40%	33 LBS
PCSCLOVERLEAF	22GA 48"x120"	51%	27 LBS

ALUMINUM

PRODUCT #	DESCRIPTION	OPEN	SHEET WEIGHT
PALHEXAGON	20GA 48"x120" DECORATIVE HEXAGON	65%	9 LBS
PALROYAL	20GA 48"x120" DECORATIVE ROYAL	45%	11 LBS
PALUNIONJACK	20GA 48"x120" DECORATIVE UNION JACK	40%	14 LBS
PALCLOVERLEAF	20GA 48"x120" DECORATIVE CLOVER LEAF	51%	11 LBS

FLAT EXPANDED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

BASIC STEEL

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XFB.187-22	3/16" DIAMOND 22GA 96"x48"	23 LBS
XFB.500-18	1/2" DIAMOND 18GA 48"x96"	21 LBS
XFB.500-16	1/2" DIAMOND 16GA 48"x96"	26 LBS
XFB.500-13	1/2" DIAMOND 13GA 48"x96"	45 LBS
XFB.750-16	3/4" DIAMOND 16GA 48"x96"	16 LBS
XFB.750-13	3/4" DIAMOND 13GA 48"x96"	24 LBS
XFB.750-9	3/4" DIAMOND 9GA 48"x96"	55 LBS
XFB1.00-14	1" DIAMOND 14GA 48"x96"	20 LBS
XFB1.00-12	1" DIAMOND 12GA 48"x96"	31 LBS
XFB1.50-13	1 1/2" DIAMOND 13GA 48"x96"	18 LBS
XFB1.50-9	1 1/2" DIAMOND 9GA 48"x96"	36 LBS

STAINLESS STEEL

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XFS.500-18	1/2" DIAMOND 18GA .304SS 48"x96"	21 LBS
XFS.750-13	3/4" DIAMOND 13GA .304SS 48"x96"	28 LBS
XFS.750-9	3/4" DIAMOND 9GA .304SS 48"x96"	62 LBS
XFSB.500-16	1/2" DIAMOND 16GA .316SS 48"x96"	28 LBS
XFSB.750-9	3/4" DIAMOND 9GA .316SS 48"x96"	62 LBS

ALUMINUM

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XFA.500-051	1/2" DIAMOND .051" THICK 48"x96"	8 LBS
XFA.500-081	1/2" DIAMOND .081" THICK 48"x96"	13 LBS
XFA.750-081L	3/4" DIAMOND .081" THICK 48"x96"	8 LBS
XFA.750-125	3/4" DIAMOND .125" THICK 48"x96"	20 LBS

RAISED EXPANDED METAL

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

BASIC STEEL

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XRB.500-16	½" DIAMOND 16GA 48"x96"	28 LBS
XRB.500-13	½" DIAMOND 13GA 48"x96"	47 LBS
XRB.750-13	¾" DIAMOND 13GA 48"x96"	26 LBS
XRB.750-9	¾" DIAMOND 9GA 48"x96"	58 LBS
XRB1.00-14	1" DIAMOND 14GA 48"x96"	25 LBS
XRB1.00-12	1" DIAMOND 12GA 48"x96"	31 LBS
XRB1.0-10H	1" DIAMOND 10GA 48"x96"	64 LBS
XRB1.50-13	1 ½" DIAMOND 13GA 48"x96"	19 LBS
XRB1.5-10H	1 ½" DIAMOND 10GA 48"x96"	64 LBS

STAINLESS STEEL

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XRS.750-16	¾" DIAMOND 16GA .304SS 48"x96"	65 LBS
XRSB.750-16	¾" DIAMOND 16GA .316SS 48"x96"	65 LBS
XRS.750-9	¾" DIAMOND 9GA .304SS 48"x96"	65 LBS

ALUMINUM

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XRA.500-051	½" DIAMOND .051" THICK 48"x96"	9 LBS
XRA.500-081	½" DIAMOND .081" THICK 48"x96"	14 LBS
XRA.750-125	¾" DIAMOND .125" THICK 48"x96"	21 LBS

EXPANDED METAL GRATING

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

EXPANDED METAL GRATING

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XGB3.0-4X8	#3 GRATING 48"x96"	96 LBS
XGB3.0-8X4	#3 GRATING 96"x48"	96 LBS
XGB4.0-8X4	#4 GRATING 96"x48"	128 LBS

SECURA CLIPS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

SECURA CLIPS

PRODUCT #	DESCRIPTION	SHEET WEIGHT
XSECURA CLIPS	EXPANDED METAL CLIPS	0.1 LBS

RAW WIRE

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

ABRASION RESISTANT

PRODUCT #	DESCRIPTION	SHEET WEIGHT
RWAR.063	16GA .063" WIRE DIAMETER	95
RWAR.072	15GA .072" WIRE DIAMETER	72
RWAR.080	14GA .080" WIRE DIAMETER	58
RWAR.092	13GA .092" WIRE DIAMETER	44
RWAR.105	12GA .105" WIRE DIAMETER	33
RWAR.120	11GA .120" WIRE DIAMETER	25
RWAR.135	10GA .135" WIRE DIAMETER	20
RWAR.148	9GA .148" WIRE DIAMETER	17
RWAR.162	8GA .162" WIRE DIAMETER	14
RWAR.177	7GA .177" WIRE DIAMETER	11
RWAR.192	6GA .192" WIRE DIAMETER	10
RWAR.207	5GA .207" WIRE DIAMETER	8
RWAR.225	4GA .225" WIRE DIAMETER	7
RWAR.250	(1/4") .250" WIRE DIAMETER	6
RWAR.312	(5/16") .312" WIRE DIAMETER	3
RWAR.375	(3/8") .375" WIRE DIAMETER	4
RWAR.437	(7/16") .437" WIRE DIAMETER	/
RWAR.500	(1/2") .500" WIRE DIAMETER	/
RWAR.625	(5/8") .625" WIRE DIAMETER	/

BASIC STEEL

PRODUCT #	DESCRIPTION	SHEET WEIGHT
RWBB.063	16GA .063" WIRE DIAMETER	95
RWBB.072	15GA .072" WIRE DIAMETER	72
RWBB.080	14GA .080" WIRE DIAMETER	58
RWBB.092	13GA .092" WIRE DIAMETER	44
RWBB.105	12GA .105" WIRE DIAMETER	33
RWBB.120	11GA .120" WIRE DIAMETER	25
RWBB.135	10GA .135" WIRE DIAMETER	20
RWBB.148	9GA .148" WIRE DIAMETER	17
RWBB.162	8GA .162" WIRE DIAMETER	14
RWBB.177	7GA .177" WIRE DIAMETER	11
RWBB.192	6GA .192" WIRE DIAMETER	10
RWBB.207	5GA .207" WIRE DIAMETER	8
RWBB.225	4GA .225" WIRE DIAMETER	7
RWBB.250	(1/4") .250" WIRE DIAMETER	6
RWBB.312	(5/16") .312" WIRE DIAMETER	3
RWBB.375	(3/8") .375" WIRE DIAMETER	4
RWBB.437	(7/16") .437" WIRE DIAMETER	/
RWBB.500	(1/2") .500" WIRE DIAMETER	/

GALVANIZED

PRODUCT #	DESCRIPTION	SHEET WEIGHT
RWGB.063	16GA .063" WIRE DIAMETER	95
RWGB.072	15GA .072" WIRE DIAMETER	72
RWGB.080	14GA .080" WIRE DIAMETER	58
RWGB.092	13GA .092" WIRE DIAMETER	44
RWGB.105	12GA .105" WIRE DIAMETER	33
RWGB.120	11GA .120" WIRE DIAMETER	25
RWGB.135	10GA .135" WIRE DIAMETER	20
RWGB.148	9GA .148" WIRE DIAMETER	17
RWGB.162	8GA .162" WIRE DIAMETER	14
RWGB.177	7GA .177" WIRE DIAMETER	11
RWGB.192	6GA .192" WIRE DIAMETER	10
RWGB.207	5GA .207" WIRE DIAMETER	8
RWGB.225	4GA .225" WIRE DIAMETER	7
RWGB.250	(1/4") .250" WIRE DIAMETER	6

.304 STAINLESS

PRODUCT #	DESCRIPTION	SHEET WEIGHT
RWSA.063	16GA .063" WIRE DIAMETER	95
RWSA.072	15GA .072" WIRE DIAMETER	72
RWSA.080	14GA .080" WIRE DIAMETER	58
RWSA.092	13GA .092" WIRE DIAMETER	44
RWSA.105	12GA .105" WIRE DIAMETER	33
RWSA.120	11GA .120" WIRE DIAMETER	25
RWSA.135	10GA .135" WIRE DIAMETER	20
RWSA.148	9GA .148" WIRE DIAMETER	17
RWSA.162	8GA .162" WIRE DIAMETER	14
RWSA.177	7GA .177" WIRE DIAMETER	11
RWSA.192	6GA .192" WIRE DIAMETER	10
RWSA.207	5GA .207" WIRE DIAMETER	8
RWSA.225	4GA .225" WIRE DIAMETER	7
RWSA.250	(1/4") .250" WIRE DIAMETER	6

STAINLESS STEEL ANNEALED WIRE

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

.304 STAINLESS STEEL ANNEALED (1LB SPOOLS)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
TWSC.020	25GA .020" WIRE DIAMETER	900
TWSC.032	21GA .032" WIRE DIAMETER	373
TWSC.041	19GA .041" WIRE DIAMETER	223
TWSC.047	18GA .047" WIRE DIAMETER	166
TWSC.063	16GA .063" WIRE DIAMETER	95

.304 STAINLESS STEEL ANNEALED (5LB SPOOLS)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
TWSC.032-5	21GA .032" WIRE DIAMETER	373
TWSC.041-5	19GA .041" WIRE DIAMETER	223
TWSC.047-5	18GA .047" WIRE DIAMETER	166
TWSC.063-5	16GA .063" WIRE DIAMETER	95

.304 STAINLESS STEEL ANNEALED (25LB SPOOLS)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
TWSC.047-25	18GA .047" WIRE DIAMETER	166
TWSC.063-25	16GA .063" WIRE DIAMETER	95

CHANNEL / SAFETY GRATING

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

GALVANIZED PERFORATED (ROUND GRIP)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CPG21513	5"WIDTH 1 1/2"TALL 13GA 144"LENGTH	31 LBS
CPG22013	5"WIDTH 2"TALL 13GA 144"LENGTH	33 LBS
CPG51513	10"WIDTH 1 1/2"TALL 13GA 144"LENGTH	42 LBS
CPG51511	10"WIDTH 1 1/2"TALL 11GA 144"LENGTH	54 LBS
CPG61513	12"WIDTH 1 1/2"TALL 13GA 144"LENGTH	52 LBS
CPG61511	12"WIDTH 1 1/2"TALL 11GA 144"LENGTH	64 LBS
CPG62011	12"WIDTH 2"TALL 11GA 144"LENGTH	66 LBS
CPG101511	18"WIDTH 1 1/12"TALL 11GA 144"LENGTH	82 LBS
CPG102013	18"WIDTH 2"TALL 13GA 144"LENGTH	72 LBS
CPG102011	18"WIDTH 2"TALL 11GA 144"LENGTH	85 LBS
CPG1201511	24"WIDTH 1 1/2"TALL 11GA 144"LENGTH	88 LBS
CPG1202011	24"WIDTH 2"TALL 11GA 144"LENGTH	88 LBS

DIMPLE PLATE SAFETY TREAD

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGDPX125AL	ALUMINUM 8GA 36"x120"	51 LBS
CGDPX13S	PLAIN STEEL 13GA 36"x120"	114 LBS

SAFETY CHANNEL GRATING (GALVANIZED DIAMOND)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGG21514	4 3/4"WIDTH 1 1/2"TALL 14GA 144"LENGTH	28 LBS
CGG22012	4 3/4"WIDTH 2"TALL 12GA 144"LENGTH	44 LBS
CGG31514	7"WIDTH 1 1/2"TALL 14GA 144"LENGTH	36 LBS
CGG31512	7"WIDTH 1 1/2"TALL 12GA 144"LENGTH	49 LBS
CGG32012	7"WIDTH 2"TALL 12GA 144"LENGTH	54 LBS
CGG41514	9 1/2"WIDTH 1 1/2"TALL 14GA 144"LENGTH	43 LBS
CGG41512	9 1/2"WIDTH 1 1/2"TALL 12GA 144"LENGTH	60 LBS
CGG42014	9 1/2"WIDTH 2"TALL 14GA 144"LENGTH	65 LBS
CGG42012	9 1/2"WIDTH 2"TALL 12GA 144"LENGTH	65 LBS
CGG51514	11 3/4"WIDTH 1 1/2"TALL 14GA 144"LENGTH	50 LBS
CGG51512	11 3/4"WIDTH 1 1/2"TALL 12GA 144"LENGTH	71 LBS
CGG52014	11 3/4"WIDTH 2"TALL 14GA 144"LENGTH	74 LBS
CGG52012	11 3/4"WIDTH 2"TALL 14GA 144"LENGTH	53 LBS
CGG81512	18 3/4"WIDTH 1 1/2"TALL 12GA 144"LENGTH	102 LBS
CGG82012	18 3/4"WIDTH 2"TALL 12GA 144"LENGTH	107 LBS
CGG102012	24"WIDTH 2"TALL 12GA 144"LENGTH	125 LBS

SAFETY CHANNEL GRATING (STAINLESS .304SS)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGS32014	7"WIDTH 2"TALL 14GA 144"LENGTH	38 LBS
CGS42014	9 1/2"WIDTH 2"TALL 14GA 144"LENGTH	44 LBS
CGS52014	11 3/4"WIDTH 2"TALL 14GA 144"LENGTH	54 LBS

SAFETY CHANNEL GRATING (ALUMINUM)

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGA22012	4 ¾"WIDTH 2"TALL 12GA 144"LENGTH	11 LBS
CGA32012	7"WIDTH 2"TALL 12GA 144"LENGTH	14 LBS
CGA42012	9 ½"WIDTH 2"TALL 12GA 144"LENGTH	17 LBS
CPA5208	ROUND 10"WIDTH 2"TALL 8GA 144"LENGTH	22 LBS
CGA52012	11 ¾"WIDTH 2"TALL 12GA 144"LENGTH	19 LBS

BAR GRATING

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

FLAT TOP

PRODUCT #	DESCRIPTION	SHEET WEIGHT
BGFS1.00X.125	1"HEIGHT 1/8"THICK MATERIAL 36"x288"	353 LBS
BGFS1.00X.187	1"HEIGHT 3/16"THICK MATERIAL 36"x288"	511 LBS
BGFS1.25X.125	1 1/4"HEIGHT 1/8"THICK MATERIAL 36"x288"	432 LBS
BGFS1.75X.187	1 1/4"HEIGHT 3/16"THICK MATERIAL 36"x288"	626 LBS

SERRATED TOP

PRODUCT #	DESCRIPTION	SHEET WEIGHT
BGSS1.25X.187	1 1/4"HEIGHT 3/16"THICK MATERIAL 36"x288"	595 LBS

SADDLE CLIPS

PRODUCT #	DESCRIPTION	SHEET WEIGHT
BGSADDECLIPS	GALVANIZED WITH HOLE FOR 5/16"BOLT	0.1 LBS

LADDER RUNGS & BOLT SEATS

PRODUCT SPECIFICATIONS

Ensure that you know your desired dimensions before placing an order! Continental Wire Cloth will not be held responsible for orders placed with incorrect measurements.

LADDER RUNG

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGLRX2HA	ALUMINUM 2HOLE(1 ¼"WIDTH) 8GA 60"LENGTH	2.4 LBS
CGLRX3HA	ALUMINUM 3HOLE(1 5/8"WIDTH) 8GA 60"LENGTH	2.5 LBS
CGLRX2HS	PLAIN STEEL 2HOLE(1 ¼"WIDTH) 8GA 60"LENGTH	6 LBS
CGLRX3HS	PLAIN STEEL 3HOLE(1 5/8"WIDTH) 8GA 60"LENGTH	6.5 LBS
CGLRX3HSA	.304SS 3HOLE(1 5/8"WIDTH) 8GA 60"LENGTH	5.5 LBS

BOLT SEATS & J CLIPS

PRODUCT #	DESCRIPTION	SHEET WEIGHT
CGBOLTSEAT	GALVANIZED DIAMOND FOR 5/16" BOLT	0.1 LBS
CPBOLTSEAT	GALVANIZED ROUND FOR 5/16" BOLT	0.1 LBS
CGENDPLATE	PLAIN STEEL 4 ¾" 7" 9 ½" 11 ¾" SIZES	/
CGJCLIPS	PLAIN STEEL ONE SIZE FITS ALL	/